


☒ **CTL Provisional DECISION SHEET (PDSH)**
☐ **CTL DECISION SHEET (DSH)**

Standard(s) (incl. year)	Subclause(s)	Tracking No.
IEC 60598-1:2020	0.5 , 7.2	2276A
Category		
LITE		
Subject	Keywords	Provided to
External supply cord with textile	Component, Supply cable textile, decorative part	ETF-5
Question		
 <p>We have constructions of portable or fixed luminaires equipped with supply cables or external wiring covered with a decorative textile sheath (see pictures above). Generally this cable is constituted by a PVC cable with addition of textile sheath as part of the cable itself. Do we have to required compliance of this cable to PVC cable standard (eg EN 50525-2-11) or other specific standard (which one?), or is it possible to consider the external textile part as a decorative part and tested as part of luminaire according the requirement of the luminaire standard (eg fire test, mechanical tests,...) ?.</p>		
Decision		
Yes the “internal” PVC supply cable has to comply with his own standard (eg EN 50525-2-11) but the external textile part is considered as decorative part		
Explanatory notes		
Enquiry: OSMLUM ETF 5 minutes §10.1.2 2024		
Date: May 23th 2024		
PDSH:		
Year of publication:		
To be approved at CTL plenary:		
DSH		
Publication date:		
Click here to enter text.		